

## Molecular and Cell Biology of Lipids

Vol. 1437, 1999



## Cumulative Contents \_

Information for Contributors	vii	GT1b in human metastatic brain tumors: GT1b as a brain metastasis-associated ganglioside	
Regular papers		H. Hamasaki, M. Aoyagi, T. Kasama, S. Handa, K. Hirakawa and T. Taki (Japan)	93
Impact of β-cyclodextrin and resistant starch on bile acid metabolism and fecal steroid excretion in regard to their hypolipidemic action in hamsters		Review	
E.A. Trautwein, K. Forgbert, D. Rieckhoff and H.F. Erbersdobler (Germany)	1	Organization of ganglioside synthesis in the Golgi apparatus	
A sensitive chemiluminescence method to measure the lipoxygenase catalyzed oxygenation of complex substrates		H.J.F. Maccioni, J.L. Daniotti and J.A. Martina (Argentina)	101
D. Kratky, A. Lass, P.M. Abuja, H. Esterbauer and H. Kühn (Austria, Germany)	13	Regular papers	
Dissociable and nondissociable forms of platelet-activating factor acetylhydrolase in human plasma LDL:	13	Identity of heart and liver L-3-hydroxyacyl coenzyme A dehydrogenase	
implications for LDL oxidative susceptibility M.R. McCall, M. La Belle, T.M. Forte, R.M. Krauss, Y. Takanami and D.L. Tribble (USA)	23	XY. He, G. Zhang, F. Blecha and SY. Yang (USA) cDNA cloning of 15-lipoxygenase type 2 and 12-lipoxygenases of bovine corneal epithelium	119
Lipid binding to sterol carrier protein-2 is inhibited by ethanol  N.A. Avdulov, S.V. Chochina, U. Igbavboa, C.S.		<ul> <li>M. Liminga and E. Oliw (Sweden)</li> <li>Comparison of the stability and substrate specificity of purified peroxisomal 3-oxoacyl-CoA thiolases A and</li> </ul>	124
Warden, F. Schroeder and W.G. Wood (USA)  Identification of CYP3A4 as the major enzyme responsible for 25-hydroxylation of 5β-cholestane- 3α,7α,12α-triol in human liver microsomes	37	B from rat liver V.D. Antonenkov, P.P. Van Veldhoven, E. Waelkens and G.P. Mannaerts (Belgium)  Identification and characterization of alkenyl hydrolase	136
C. Furster and K. Wikvall (Sweden)	46	(lysoplasmalogenase) in microsomes and identifica-	
Effects of apolipoprotein B-100 on the metabolism of a lipid microemulsion model in rats		tion of a plasmalogen-active phospholipase A <sub>2</sub> in cy- tosol of small intestinal epithelium	
R.D.C. Hirata, M.H. Hirata, C.H. Mesquita, T.B. Cesar and R.C. Maranhão (Brazil)	53	M.S. Jurkowitz, L.A. Horrocks and M.L. Litsky (USA)	142
Trout thrombocytes contain 12- but not 5-lipoxygenase activity		A specific human lysophospholipase: cDNA cloning, tis- sue distribution and kinetic characterization	
D.J. Hill, D.H. Griffiths and A.F. Rowley (UK) Ubiquitin-proteasome-dependent degradation of apoli- poprotein B100 in vitro	63	<ul> <li>A. Wang, HC. Yang, P. Friedman, C.A. Johnson and E.A. Dennis (USA)</li> <li>Low C<sub>18</sub> to C<sub>20</sub> fatty acid elongase activity and limited</li> </ul>	157
N. Sakata and J.L. Dixon (USA)  Purification of ethanolaminephosphotransferase from bovine liver microsomes	71	conversion of stearidonic acid, $18:4(n-3)$ , to eicosapentaenoic acid, $20:5(n-3)$ , in a cell line from the turbot, <i>Scophthalmus maximus</i>	
A. Mancini, F. Del Rosso, R. Roberti, P. Orvietani, L. Coletti and L. Binaglia (Italy)	80	C. Ghioni, D.R. Tocher, M.V. Bell, J.R. Dick and J.R. Sargent (UK)	170

Sequence, expression in <i>Escherichia coli</i> , and characterization of lysophospholipase II		Transacylase formation of bis(monoacylglycerol)phos- phate	
T. Toyoda, H. Sugimoto and S. Yamashita (Japan) Variation of liver-type fatty acid binding protein content	182	J. Heravi and M. Waite (USA) Abnormal myo-inositol and phospholipid metabolism in	27
in the human hepatoma cell line HepG2 by peroxi- some proliferators and antisense RNA affects the rate of fatty acid uptake		cultured fibroblasts from patients with ataxia telangiectasia  M.A. Yorek, J.A. Dunlap, A. Manzo-Fontes, R.	
C. Wolfrum, C. Buhlmann, B. Rolf, T. Börchers and F. Spener (Germany)	194	Bianchi, G.T. Berry and J. Eichberg (Italy, USA) Macrophage-targeted CTP:phosphocholine cytidylyl-	28
Caloric restriction leads to regional specialisation of adi-	124	transferase (1-314) transgenic mice	20
pocyte function in the rat  M.C. Sugden, R.M. Grimshaw and M.J. Holness		W. Tang, A. Walsh and I. Tabas (USA)  Analysis of the fatty acid components in a perchloric	301
(UK) Identification of cis-9,10-methylenehexadecanoic acid in	202	acid-soluble protein T. Sasagawa, T. Oka, A. Tokumura, Y. Nishimoto, S.	
submitochondrial particles of bovine heart  K. Sakurada, H. Iwase, T. Takatori, M. Nagao, M.		Muñoz, M. Kuwahata, M. Okita, H. Tsuji and Y. Natori (Japan)	317
Nakajima, H. Niijima, Y. Matsuda and M. Kobayashi (Japan)	214	Synthesis of mycolic acids of mycobacteria: an assess- ment of the cell-free system in light of the whole genome	
Subsection - Lipids in Signalling and Recognition		M. Salman, P.J. Brennan and J.T. Lonsdale (USA) Identification of the GGPS1 genes encoding geranylger-	325
n I		anyl diphosphate synthases from mouse and human	
Regular papers		T. Kainou, K. Kawamura, K. Tanaka, H. Matsuda and M. Kawamukai (Japan)	333
Predominant inhibition of ganodermic acid S on the thromboxane A <sub>2</sub> -dependent pathway in human platelets response to collagen		Functional expression and characterisation of a new human phosphatidylinositol 4-kinase PI4K230  T. Gehrmann, H. Gülkan, S. Suer, F.W. Herberg, A.	
CY. Su, MS. Shiao and CT. Wang (Taiwan) Substrate specificity of lysophospholipase D which pro-	223	Balla, G. Vereb, G.W. Mayr and L.M.G. Heilmeyer Jr. (Germany)	341
duces bioactive lysophosphatidic acids in rat plasma  A. Tokumura, Y. Nishioka, O. Yoshimoto, J. Shino- miya and K. Fukuzawa (Japan)	235	Subcellular localization of enzyme activities involved in the metabolism of platelet-activating factor in rain- bow trout leukocytes	341
Signal transduction triggered by lipid A-like molecules in	233	B.L. Samples, G.L. Pool and R.H. Lumb (USA)	357
70Z/3 pre-B lymphocyte tumor cells T.A. Garrett, M.F.N. Rosser and C.R.H. Raetz		The influence of estrogen on hepatic cholesterol metab- olism and biliary lipid secretion in rats fed fish oil	
(USA) Short-time effects of neuroactive steroids on rat cortical	246	E. Bravo, A. Cantafora, C. Cicchini, M. Avella and K.M. Botham (Italy, UK)	367
Ca <sup>2+</sup> -ATPase activity		Gp96/GRP94 is a putative high density lipoprotein-bind-	307
L. Żylińska, E. Gromadzińska and L. Lachowicz (Poland)	257	ing protein in liver R. de Crom, R. van Haperen, R. Janssens, P. Visser, R. Willemsen, F. Grosveld and A. van der Kamp (The	
Regular papers		Netherlands)	378
Diff		Perfluorooctanoic acid, a peroxisome-proliferating hypo-	
Differential potentiation of arachidonic acid release by rat α <sub>2</sub> adrenergic receptor subtypes  E. Audubert, F. Klapisz, M. Berguerand, P. Gouaghe		lipidemic agent, dissociates apolipoprotein B48 from lipoprotein particles and decreases secretion of very low density lipoproteins by cultural rat homotographs	
F. Audubert, E. Klapisz, M. Berguerand, P. Gouache, AM. Jouniaux, G. Béréziat and J. Masliah	265	low density lipoproteins by cultured rat hepatocytes E. Okochi, T. Nishimaki-Mogami, K. Suzuki and A.	202
(France)	265	Takahashi (Japan)	393

Cumulative Contents			417
Intermediates of myocardial mitochondrial β-oxidation: possible channelling of NADH and of CoA esters		Cumulative Contents, Vol. 1437	415
S. Eaton, K. Bartlett and M. Pourfarzam (UK)  Molecular cloning and functional expression of a phospholipase D from cabbage (Brassica oleracea var. capitata)	402	Author Index	418
DU. Kim, T. Roh, J. Lee, J. Noh, YJ. Jang, KL. Hoe, HS. Yoo and MU. Choi (South Korea)	409		

